Math 121A Spring 2007 Homework#6 Derivative, C-R equations.

1. Compute from the definition

$$f'(z) = \lim_{w \to 0} \frac{f(z+w) - f(z)}{w},$$

that $(z^n)' = nz^{n-1}$.

- 2. Use linearity, the quotient rule, the chain rule and the Leibniz rule to calculate the derivatives of
 - (a) $e^{z^3 \cos(z)}$.
 - (b) $\frac{\cos^2(z) + \sin^2(z)}{z}$.
 - (c) $\ln(z)$.
 - (d) General power series

$$s(z) = \sum_{n=0}^{\infty} a_n (z - z_0)^n,$$

in the disc of convergence $U = \{z \in \mathbb{C}; |z - z_0| < R\}$. Explain where you use absolutely convergence of the series.

(e) Compute the radius R and the disc of convergence U of the power series

$$s(z) = \sum_{n=1}^{\infty} \frac{(z-1)^n}{n^2}$$

Compute s'(z) inside U.

- 3. Formulate the theorem on Cauchy-Riemann equations. Show that the converse of the theorem is not true: Consider the function $f : \mathbb{C} \to \mathbb{C}$ given by f(x + iy) = 1 if $x \neq 0$, $y \neq 0$ and f(x + iy) = 0 otherwise. Show that f satisfies the C-R at (0,0) but is not analytic there (it is even not continuous at (0,0)).
- 4. Write our definition of the function $f(z) = \sqrt{z}$. Explain why f is not continuous at all points (x, 0) with $x \ge 0$. Verify C-R equations for f at all other points, i.e., in $U = \mathbb{C} \{(x, 0); x \ge 0\}.$
- 5. Two real functions u(x, y) and v(x, y) defined on a subset $U \subset \mathbb{R}^2$ are called C-R pair if they satisfy the C-R equations in U. Find ∞ many C-R pairs on \mathbb{R}^2 (Clue: read C-R theorem from the end to the beginning and consider polynomials).
- Remarks
 - You are very much encouraged to work with other students. However, submit your work alone.
 - I will be happy to help you with the homeworks. Please visit me if you want to work with me.

Good Luck!