

PUBLICATIONS (TERWILLIGER)

1. Eigenvalue multiplicities of highly symmetric graphs, *Discrete Math.* 41 (1982), 295–302.
2. The diameter of bipartite distance-regular graphs, *J. Combin Theory Ser. B* 32 (1982), 182–188.
3. Distance-regular graphs and (s,c,a,k) -graphs, *J. Combin. Theory Ser. B* 34 (1983), 151–164.
4. Distance-regular graphs with girth 3 or 4: I, *J. Combin. Theory Ser. B* 39 (1985), 265–281.
5. The Johnson graph $J(d,r)$ is unique if $(d,r) \neq (2,8)$, *Discrete Math.* 58 (1986), 175–189.
6. Root systems and the Johnson and Hamming graphs, *European J. Combin. Theory* 8 (1987), 73–102.
7. Root system graphs, *Linear Algebra Appl.* 94 (1987), 157–163.
8. P - and Q -polynomial schemes with $q = -1$, *J. Combin. Theory Ser. B* 42 (1987), 64–67.
9. A class of distance-regular graphs that are Q -polynomial, *J. Combin. Theory Ser. B* 40 (1986), 213–223.
10. A new feasibility condition for distance-regular graphs, *Discrete Math.* 61 (1986), 311–315.
11. The classification of distance-regular graphs of type IIB, *Combinatorica* 8(1) (1988), 125–132.
12. A characterization of the P - and Q -polynomial association schemes, *J. Combin. Theory Ser. A* 45 (1987), 8–26.
13. Counting 4-vertex configurations in P - and Q -polynomial association schemes, *Algebras Groups Geom.* 2 (1985), 541–554.
14. A new inequality for distance-regular graphs, *Discrete Math* 137 (1995), 319–332.
15. (with M. Deza) A classification of finite connected hypermetric spaces, *Graphs Combin.* 3 (1987), 293–298.
16. Balanced sets and Q -polynomial association schemes, *Graphs Combin.* 4 (1988), 87–94.
17. The incidence algebra of a uniform poset, *Math and its applications*, Vol. 20, (1990), 193–212.
18. The subconstituent algebra of an association scheme, *Journal of Algebraic Combinatorics*, Part I, Vol 1 (1992), 363–388; Part II, Vol 2 (1993), 73–103; Part III, Vol 2 (1993), 177–210.
19. P - and Q -polynomial schemes and their antipodal P -polynomial covers, *European J. Combin.* 14 (1993), 355–358.
20. Kite-free distance-regular graphs, *European J. Combin.* 16 (1995), 405–414.
21. Quantum matroids, *Advanced Studies in Pure Mathematics: Recent Progress in Algebraic Combinatorics* 24 (1996), 323–441.

22. (with Kequan Ding) On Garsia-Remmel problem of rook equivalence, *Discrete Math* 149 (1996), 59–68.
23. (with Garth Dickie) Dual bipartite Q -polynomial distance-regular graphs, *European J. Combin.*, 17 (1996), 613–623
24. (with Garth Dickie) A note on thin P -polynomial and dual-thin Q -polynomial symmetric association schemes, *J. Alg. Combin.*, 7 (1998), 5–15.
25. (with J. Koolen, A. Jurisic) Tight distance-regular graphs, *J. Alg. Combin.*, 12 (2000), 163–195.
26. Two linear transformations each tridiagonal with respect to an eigenbasis of the other, *Linear Algebra Appl.*, 330 (2001), 149–203.
27. (with T. Ito and K. Tanabe) Some algebra related to P - and Q -polynomial association schemes, in *Codes and Association schemes* (Piscataway NJ, 1999), Amer. Math. Soc., Providence RI, (2000), 167–192.
28. Two relations that generalize the q -Serre relations and the Dolan-Grady relations, in *Physics and Combinatorics. Proceedings of the Nagoya 1999 International Workshop* (Nagoya, Japan 1999). World Scientific Publishing Co., Inc., River Edge, NJ (2001), 377–398.
29. Leonard pairs from 24 points of view, *Rocky Mountain Journal of Mathematics* (2002), 827–887.
30. (with J. T. Go) Tight distance-regular graphs and the subconstituent algebra, *Europe J. Combin.* (2002), 793–816.
31. The subconstituent algebra of a distance-regular graph; thin modules with endpoint one, *Linear Algebra Appl.*, 356 (2002), 157–187.
32. An inequality involving the local eigenvalues of a distance-regular graph, *J. Algebraic Combin.* 19 (2004), 143–172.
33. Introduction to Leonard pairs, in *Proceedings of OPSFA 2001* (Rome, Italy 2001). *J. Comput. Appl. Math.* 153 (2003), 463–475.
34. (with Chih-Wen Weng) Distance-regular graphs, pseudo primitive idempotents, and the Terwilliger algebra. *Proceedings of a volume in Memory of Jap. Seidel*, *European J. Combin.*, 25 (2004), 287–298.
35. Two linear transformations each tridiagonal with respect to an eigenbasis for the other; comments on the parameter array. *Des. Codes Cryptogr.* 34 (2005), 307–332.
36. Two linear transformations each tridiagonal with respect to an eigenbasis for the other; the TD - D canonical form and the LB - UB canonical form. *J. Algebra* 291 (2005), 1–45.
37. Two linear transformations each tridiagonal with respect to an eigenbasis for the other; comments on the split decomposition. *Proceedings of OPSFA7*. *J. Comput. Appl. Math.* 178 (2005), 437–452.
38. (with Mark MacLean and John Caughman) The Terwilliger algebra of an almost-bipartite P - and Q -polynomial scheme. *Discrete Math.* 292 (2005), 17–44.

39. (with Tatsuro Ito) The shape of a tridiagonal pair. *J. Pure Appl. Algebra*, 188 (2004), 145–160.
40. Leonard pairs and the q -Racah polynomials. *Linear Algebra Appl.* 387 (2004), 235–276.
41. (with Raimundas Vidunas) Leonard pairs and the Askey-Wilson relations. *J. Algebra Appl.* 3 (2004), 411–426.
42. (with Arlene Pascasio) The pseudo cosine sequences of a distance-regular graph. *Linear Algebra Appl.* 419 (2006), 532–555.
43. The displacement and split decompositions for a Q -polynomial distance-regular graph. *Graphs Combin.* 21 (2005), 263 - 276
44. (with Tatsuro Ito) Tridiagonal pairs and the quantum affine algebra $U_q(\widehat{sl_2})$. *Ramanujan J.* 13 (2007), 39–62.
45. (with Georgia Benkart) Irreducible modules for the quantum affine algebra $U_q(\widehat{sl_2})$ and its Borel subalgebra $U_q(\widehat{sl_2})^{\geq 0}$. *J. Algebra* 282 (2004), 172–194.
46. (with Chih-wen Weng) An inequality for regular near polygons. *European J. Combin.* 26 (2005), 227–235.
47. (with Mark MacLean) Taut distance-regular graphs and the subconstituent algebra. *Discrete Math.* 306 (2006), 1694–1721.
48. (with Mike Lang) Almost-bipartite distance-regular graphs with the Q -polynomial property. *European J. Combin.* 28 (2007), 258–265.
49. (with Tatsuro Ito and Chih-wen Weng) The quantum algebra $U_q(sl_2)$ and its equitable presentation. *J. Algebra.* 298 (2006), 284–301.
50. The equitable presentation for the quantum group $U_q(g)$ associated with a symmetrizable Kac-Moody algebra g . *J. Algebra.* 298 (2006), 302–319.
51. (with Tatsuro Ito) Two nonnilpotent linear transformations that satisfy the cubic q -Serre relations. *J. Algebra Appl.* 6 (2007), 477–503.
52. (with K. Nomura) Balanced Leonard pairs. *Linear Algebra Appl.* 420 (2007), 51–69.
53. (with K. Nomura) The determinant of $AA^* - A^*A$ for a Leonard pair A, A^* . *Linear Algebra Appl.* 416 (2006), 880–889.
54. (with K. Nomura) Some trace formulae involving the split sequences of a Leonard pair. *Linear Algebra Appl.* 413 (2006), 189–201.
55. (with Brian Hartwig) The Tetrahedron algebra, the Onsager algebra, and the sl_2 loop algebra. *J. Algebra.* 308 (2007), 840–863.
56. (with Georgia Benkart) The universal central extension of the three-point sl_2 loop algebra. *Proc. Amer. Math. Soc.* 135 (2007), 1659–1668.
57. (with Tatsuro Ito) The q -tetrahedron algebra and its finite dimensional irreducible modules. *Comm. Algebra.* 35 (2007), 3415–3439.
58. (with Kazumasa Nomura) Matrix units associated with the split basis of a Leonard pair. *Linear Algebra Appl.* 418 (2006), 775–787.
59. (with Mark MacLean) The subconstituent algebra of a bipartite distance-regular graph; thin modules with endpoint two. *Discrete Math.* 308 (2008),

1230–1259.

60. (with Kazumasa Nomura) Linear transformations that are tridiagonal with respect to both eigenbases of a Leonard pair. *Linear Algebra Appl.* 420 (2007), 198–207.
61. (with Tatsuro Ito) q -Inverting pairs of linear transformations and the q -tetrahedron algebra. *Linear Algebra Appl.* 426 (2007), 516–532.
62. (with Kazumasa Nomura) The switching element for a Leonard pair. *Linear Algebra Appl.* 428 (2008), 1083–1108.
63. (with Tatsuro Ito) Distance-regular graphs and the q -tetrahedron algebra. *European J. Combin.* 30 (2009), 682–697.
64. (with Kazumasa Nomura) Affine transformations of a Leonard pair, *Electron. J. Linear Algebra* 16 (2007) 389–418.
65. (with Kazumasa Nomura) The split decomposition of a tridiagonal pair, *Linear Algebra Appl.* 424 (2007) 339–345.
66. (with Kazumasa Nomura) Transition maps between the 24 bases for a Leonard pair, *Linear Algebra Appl.* 431 (2009) 571–593.
67. (with Tatsuro Ito) Tridiagonal pairs of Krawtchouk type, *Linear Algebra Appl.* 427 (2007) 218–233.
68. (with Tatsuro Ito) Finite-dimensional irreducible modules for the three-point sl_2 loop algebra, *Comm. Algebra* 36 (2008), 4557–4598.
69. (with Tatsuro Ito) Distance-regular graphs of q -Racah type and the q -tetrahedron algebra, *Michigan Math. J.* 58 (2009), 241–254.
70. (with Kazumasa Nomura) Sharp tridiagonal pairs, *Linear Algebra Appl.* 429 (2008), 79–99.
71. (with Kazumasa Nomura) Towards a classification of the tridiagonal pairs. *Linear Algebra Appl.* 429 (2008), 503–518.
72. (with Kazumasa Nomura) The structure of a tridiagonal pair. *Linear Algebra Appl.* 429 (2008), 1647–1662.
73. (with Kazumasa Nomura) Tridiagonal pairs and the μ -conjecture. *Linear Algebra Appl.* 430 (2009), 455–482.
74. (with Tatsuro Ito) The Drinfel’d polynomial of a tridiagonal pair. *J. of Combinatorics, Information and System Sciences* 34 (2009), 255–292.
75. (with Tatsuro Ito) Tridiagonal pairs of q -Racah type. *J. Algebra* 322 (2009), 68–93.
76. (with Tatsuro Ito) How to sharpen a tridiagonal pair. *J. Algebra Appl.* 9 (2010), 543–552.
77. (with Tatsuro Ito) Mock tridiagonal systems. *Linear Algebra Appl.* 435 (2011), 1997–2006.
78. (with Georgia Benkart) The equitable basis for sl_2 . *Math. Z.* 268 (2011), 535–557
79. (with Kazumasa Nomura) Tridiagonal pairs of q -Racah type and the μ -conjecture. *Linear Algebra Appl.* 432 (2010), 3201–3209.

80. (with Kazumasa Nomura) On the shape of a tridiagonal pair. *Linear Algebra Appl.* 432 (2010), 615–636.
81. (with Tatsuro Ito) An algebra generated by two sets of mutually orthogonal idempotents. *J. Algebra Appl.* 9 (2010), 839–858.
82. (with Aleksandar Jurisic and Arjana Zitnik) The Q -polynomial idempotents of a distance-regular graph. *J. Combin Theory Ser. B* 100 (2010), 683–690.
83. (with Tatsuro Ito and Kazumasa Nomura) The classification of the sharp tridiagonal pairs. *Linear Algebra Appl.* 435 (2011), 1857–1884.
84. (with Tatsuro Ito) Double affine Hecke algebras of rank 1 and the Z_3 -symmetric Askey-Wilson relations. *SIGMA* 6 (2010), 065, 9 pages.
85. (with Plamen Iliev) The Rahman polynomials and the Lie algebra sl_3 . *Trans. Amer. Math. Soc.* 364 (2012), 4225–4238.
86. (with Tatsuro Ito) The augmented tridiagonal algebra. *Kyushu J. Math.* 64 (2010), 81–144.
87. (With Stefko Miklavic) The A -like matrices for a hypercube. *Electronic J. Linear Algebra.* 22 (2011), 796–809.
88. (with Kazumasa Nomura) Tridiagonal matrices with nonnegative entries. *Linear Algebra Appl.* 434 (2011), 2527–2538.
89. The universal Askey-Wilson algebra. *SIGMA* 7 (2011), 069, 30 pages.
90. (with Stefko Miklavic) Bipartite Q -polynomial distance-regular graphs and uniform posets. *J. Algebraic Combin.* 38 (2013), no. 2, 225–242.
91. The universal Askey-Wilson algebra and the equitable presentation of $U_q(sl_2)$. *SIGMA* 7 (2011) Paper 099, 26 pages.
92. (with Kazumasa Nomura) Krawtchouk polynomials, the Lie algebra sl_2 , and Leonard pairs. *Linear Algebra Appl.* 437 (2012), 345–375.
93. The universal Askey-Wilson algebra and DAHA of type (C_1^\vee, C_1) . *SIGMA* 9 (2013), 047, 40 pages.
94. (with Chalermpong Worawannotai) Augmented down-up algebras and uniform posets. *Ars Math. Contemp.* 6 (2013), 409–417.
95. Finite-dimensional irreducible $U_q(sl_2)$ -modules from the equitable point of view. *Linear Algebra Appl.* 439 (2013), 358–400.
96. (with Sarah Bockting-Conrad) The algebra $U_q(sl_2)$ in disguise. *Linear Algebra Appl.* 459 (2014), 548–585.
97. (with Arjana Zitnik) Distance-regular graphs of q -Racah type and the universal Askey-Wilson algebra. *J. Combin. Theory Ser. A.* 125 (2014), 98–112.
98. (with Tatsuro Ito and Hjalmar Rosengren) Evaluation modules for the q -tetrahedron algebra. *Linear algebra Appl.* 451 (2014), 107–168.
99. Billiard arrays and finite-dimensional irreducible $U_q(sl_2)$ -modules. *Linear Algebra Appl.* 461 (2014) 211–270.
100. Lowering-raising triples and $U_q(sl_2)$. *Linear Algebra Appl.* 486 (2015), 1–172.

101. The q -Onsager algebra and the positive part of $U_q(\widehat{sl}_2)$. *Linear Algebra Appl.* 521 (2017), 19–56.
102. The Lusztig automorphism of $U_q(sl_2)$ from the equitable point of view. *J. Algebra Appl.* 16 (2017), 1750235, 26 pp.
103. Tridiagonal pairs of q -Racah type, the Bockting operator ψ , and L -operators for $U_q(\widehat{sl}_2)$. *Ars Math. Contemp.* 14 (2018), 55–65.
104. Leonard triples of q -Racah type and their pseudo interwinters. *Linear Algebra Appl.* 515 (2017), 145–174.
105. (with Kazumasa Nomura) The universal DAHA of type (C_1^\vee, C_1) and Leonard pairs of q -Racah type. *Linear Algebra Appl.* 533 (2017), 14–83.
106. The Lusztig automorphism of the q -Onsager algebra. *J. Algebra* 506 (2018), 5675.
107. A poset Φ_n whose maximal chains are in bijection with the $n \times n$ alternating sign matrices. *Linear Algebra Appl.* 554 (2018), 79–85.
108. (with Arjana Zitnik) The quantum adjacency algebra and subconstituent algebra of a graph. *J. Combin. Theory Ser. A* 166 (2019), 297314.
109. (with Kazumasa Nomura) Totally bipartite tridiagonal pairs. Submitted November 2017. 73 pages; [arXiv:1711.00332](https://arxiv.org/abs/1711.00332).
110. The q -Onsager Algebra and the Universal Askey-Wilson Algebra. *SIGMA* 14 (2018), 044, 18 pages; [arXiv:1801.06083](https://arxiv.org/abs/1801.06083).
111. (with Kazumasa Nomura) Self-dual Leonard pairs. *Spec. Matrices* 7 (2019), 1–19.
112. (with Sarah Post) An infinite-dimensional BOX_q -module obtained from the q -shuffle algebra for affine sl_2 . *SIGMA* 16 (2020), 037, 35 pages; [arXiv:1806.10007](https://arxiv.org/abs/1806.10007).
113. Using Catalan words and a q -shuffle algebra to describe a PBW basis for the positive part of $U_q(\widehat{sl}_2)$. *J. Algebra* 525 (2019), 359–373.
114. An action of the free product $Z_2 \star Z_2 \star Z_2$ on the q -Onsager algebra and its current algebra. *Nuclear Phys. B* 936 (2018), 306–319.
115. The alternating PBW basis for the positive part of $U_q(\widehat{sl}_2)$. *J. Math. Phys.* 60 (2019), 071704. 27 pages ; [arXiv:1902.00721](https://arxiv.org/abs/1902.00721).
116. (with Kazumasa Nomura) Leonard pairs, spin models, and distance-regular graphs. *J. Combin. Theory Ser. A* 177 (2021), Paper No. 105312, 59 pp.; [arXiv:1907.03900](https://arxiv.org/abs/1907.03900).
117. The alternating central extension for the positive part of $U_q(\widehat{sl}_2)$. *Nuclear Phys. B* 947 (2019), 114729, 25 pages; [arXiv:1907.09872](https://arxiv.org/abs/1907.09872).
118. (with S. Cioaba and J. Koolen) Connectivity concerning the last two subconstituents of a Q -polynomial distance-regular graph. *J. Combin. Theory Ser. A* 177 (2021), Paper No. 105325, 6 pp.; [arXiv:1912.06245](https://arxiv.org/abs/1912.06245).
119. Notes on the Leonard system classification. *Graphs and Combinatorics*. Accepted June 2021. 57 pages. <https://doi.org/10.1007/s00373-021-02357-y>; [arXiv:2003.09668](https://arxiv.org/abs/2003.09668).

120. Double lowering operators on polynomials. SIGMA Symmetry Integrability Geom. Methods Appl. 17 (2021), Paper No. 009, 38 pp.; [arXiv:2003.09666](#).
121. (with Kazumasa Nomura) Idempotent systems. Algebr. Comb. 4 (2021), no. 2, 329–357; [arXiv:2004.14997](#).
122. Twisting finite-dimensional modules for the q -Onsager algebra O_q via the Lusztig automorphism. Ramanujan Journal. Accepted August 2021. 28 pages; [arXiv:2005.00457](#).
123. Tridiagonal pairs of q -Racah type and the q -tetrahedron algebra. J. Pure Appl. Algebra 225 (2021), Paper No. 106632, 33 pp.; [arXiv:2006.02511](#).
124. The Norton algebra of a Q -polynomial distance-regular graph. J. Combin. Theory Ser. A 182 (2021), Paper No. 105477, 11 pp.; [arXiv:2006.04997](#).
125. A compact presentation for the alternating central extension of the positive part of $U_q(\widehat{sl}_2)$. Ars. Math. Contemp. Accepted August 2021. 23 pages; [arXiv:2011.02463](#).
126. A conjecture concerning the q -Onsager algebra. Nuclear Phys. B 966 (2021), Paper No. 115391, 26 pp.; [arXiv:2101.09860](#).
127. The alternating central extension of the q -Onsager algebra. Commun. Math. Phys. Accepted June 2021. 58 pages; [arXiv:2103.03028](#).
128. The compact presentation for the alternating central extension of the q -Onsager algebra. Submitted March 2021. 26 pages; [arXiv:2103.11229](#).
129. The alternating central extension of the Onsager Lie algebra. Submitted April 2021. 24 pages; [arXiv:2104.08106](#).
130. The q -Onsager algebra and its alternating central extension. Submitted June 2021. 38 pages; [arXiv:2106.14041](#).
131. The algebra U_q^+ and its alternating central extension \mathcal{U}_q^+ . Submitted August 2021. 22 pages; [arXiv:2106.14884](#).
132. Using Catalan words and a q -shuffle algebra to describe the Beck PBW basis for the positive part of $U_q(\widehat{sl}_2)$. Submitted August 2021. 21 pages; [arXiv:2108.12708](#).