

braidlab tutorial

Jean-Luc Thiffeault*

Workshop *Uncovering Transport Barriers in Geophysical Flows*
Banff International Research Station, Alberta, Canada
25 September 2013

1 Installing braidlab

Please contact me if you want to try `braidlab`. It is not quite ready for prime time, in particular the LCS toolbox (developed by Michael Allshouse) needs work. Installing `braidlab` requires compilation of some Matlab MEX files, so your system must be set up do so.

The package `braidlab` is defined inside a Matlab namespace, which are specified as subfolders beginning with a '+' character. The Matlab path must contain the folder that contains the subfolder `+braidlab`, and not the `+braidlab` folder itself:

```
>> addpath 'path to folder containing +braidlab'
```

To execute a `braidlab` *function*, either call it using the syntax `braidlab.function`, or import the whole namespace:

```
>> import braidlab.*
```

This allows invoking *function* by itself, without the `braidlab` prefix. For the remainder of this document, we assume this has been done and omit the `braidlab` prefix. The `addpath` and `import` commands can be added to `startup.m` to ensure they are executed at the start of every Matlab session.

*jeanluc@math.wisc.edu

2 A tour of braidlab

2.1 The braid class

braidlab defines a number of classes, most importantly `braid` and `loop`. The braid $\sigma_1\sigma_2^{-1}$ is defined by

```
>> a = braid([1 -2]) % defaults to 3 strings
a = < 1 -2 >
```

which defaults to the minimum required strings, 3. The same braid on 4 strings is defined by

```
> a4 = braid([1 -2],4) % force 4 strings
a4 = < 1 -2 >
```

Two braids can be multiplied:

```
>> a = braid([1 -2]); b = braid([1 2]);
>> a*b, b*a
ans = < 1 -2 1 2 >
ans = < 1 2 1 -2 >
```

Powers can also be taken, including the inverse:

```
>> a^5, inv(a), a*a^-1
ans = < 1 -2 1 -2 1 -2 1 -2 1 -2 >
ans = < 2 -1 >
ans = < 1 -2 2 -1 >
```

Note that this last expression is the identity braid, but is not simplified. The method `compact` attempts to simplify the braid:

```
>> compact(a*a^-1)
ans = < e >
```

The method `compact` is based on the heuristic algorithm of Bangert et al. [2002], since finding the braid of minimum length in the standard generators is in general difficult [Paterson and Razborov, 1991].

The number of strings is

```
>> a.n
ans = 3
```

Note that

```
>> help braid
```

describes the class `braid`. To get more information on the `braid` constructor, invoke

```
>> help braid.braid
```

which refers to the method `braid` within the class `braid`. (Use `methods(braid)` to list all the methods in the class.) There are other ways to construct a `braid`, such as using random generators, here a braid with 5 strings and 10 random generators:

```
>> braid('random',5,10)
ans = < 1 4 -4 2 4 -1 -2 4 4 4 >
```

The constructor can also build some standard braids:

```
>> braid('halftwist',5)
ans = < 4 3 2 1 4 3 2 4 3 4 >
```

In Section 2.2 we will also show how to construct a braid from a trajectory data set.

The `braid` class also handles equality of braids:

```
>> a = braid([1 -2]); b = braid([1 -2 2 1 2 -1 -2 -1]);
>> a == b
ans = 1
```

These are the same braid. Equality is determined efficiently by acting on loop (Dynnikov) coordinates [Dynnikov, 2002], as described by Dehornoy [2008]. See Sections 2.3–2.4 for more details.

We can extract a subbraid by choosing specific strings: for example, if we take the 4-string braid $\sigma_1\sigma_2\sigma_3^{-1}$ and discard the third string, we obtain $\sigma_1\sigma_2^{-1}$:

```
>> a = braid([1 2 -3]);
>> subbraid(a,[1 2 4]) % subbraid using strings 1,2,4

ans = < 1 -2 >
```

There are a few methods that exploit the connection between braids and homeomorphisms of the punctured disk. Braids label *isotopy classes* of homeomorphisms, so we can assign a topological entropy to a braid:

```
>> entropy(braid([1 2 -3]))

ans = 0.8314
```

The entropy is computed by iterated action on a loop [Moussafir, 2006]. This can fail if the braid is finite-order or has very low entropy:

```
>> entropy(braid([1 2]))
Warning: Failed to converge to requested tolerance; braid is
likely finite-order or has low entropy.
> In braid.entropy at 89

ans = 0
```

To force the entropy to be computed using the Bestvina–Handel train track algorithm Bestvina and Handel [1995], we add an optional parameter:

```
>> entropy(braid([1 2]),'trains')

ans = 0
```

Note that for large braids the Bestvina–Handel algorithm is impractical. But when applicable it can also determine the Thurston–Nielsen type of the braid [Fathi et al., 1979, Thurston, 1988, Casson and Bleiler, 1988, Boyland, 1994]:

```
>> tntype(braid([1 2 -3]))

ans = pseudo-Anosov
>> tntype(braid([1 2]))

ans = finite-order
>> tntype(braid([1 2],4)) % reducing curve around 1,2,3

ans = reducible
```

`braidlab` uses Toby Hall’s implementation of the Bestvina–Handel algorithm [Hall, 2012].

Finally, we can also find the Burau matrix representation [Burau, 1936, Birman, 1975] of a braid:

```
>> burau(braid([1 -2]),-1)

ans = 1      -1
      -1     2
```

where the last argument (-1) is the value of the parameter t in the Laurent polynomials that appear in the entries of the Burau matrices.

2.2 Constructing a braid from data

One of the main purposes of `braidlab` is to analyze two-dimensional trajectory data using braids. We can assign a braid to trajectory data by looking for *crossings* along a projection line [Thiffeault, 2005, 2010]. The `braid` constructor allows us to do this easily.

The folder `testsuite` contains a dataset of trajectories, from laboratory data for granular media [Puckett et al., 2012]. From the `testsuite` folder, we load the data:

```
>> clear; load testdata
>> whos
  Name           Size           Bytes   Class   Attributes

  XY             9740x2x4           623360  double
  ti             1x9740             77920  double
```

Here `ti` is the vector of times, and `XY` is a three-dimensional array: its first component specifies the timestep, its second specifies the X or Y coordinate, and its third specifies one of the 4 particles. Figure 1(a) shows the X and Y coordinates of these four trajectories, with time plotted vertically. Figure 1(b) shows the same data, but projected along the X direction. To construct a braid from this data, we simply execute

```
>> b = braid(XY);
>> b.length

ans = 894
```




Figure 1: (a) A dataset of four trajectories, (b) projected along the X axis. (c) The compacted braid $\sigma_1^{-1}\sigma_2^{-1}\sigma_1^{-8}\sigma_3^2\sigma_2\sigma_1$ corresponding to the X projection in (b). (d) The compacted braid $\sigma_3^{-7}\sigma_1\sigma_3^{-1}\sigma_1$ corresponding to the Y projection, with closure enforced. The braids in (c) and (d) are conjugate.

This is a very long braid! But Figure 1(b) suggests that this is misleading: many of the crossings are ‘wiggles’ that cancel each other out. Indeed, if we attempt to shorten the braid:

```
>> b = compact(b)

b = < -1 -2 -1 -1 -1 -1 -1 -1 -1 -1 3 3 2 1 >
>> b.length

ans = 14
```

we find the number of generators (the length) has dropped to 14! We can then plot this shortened braid as a braid diagram using `plot(b)` to produce Figure 1(c). The braid diagram allows us to see topological information clearly, such as the fact that the second and third particles undergo a large number of twists around each other; we can check this by creating a subbraid with only those two strings:

```
>> subbraid(bX,[2 3])

ans = < -1 -1 -1 -1 -1 -1 -1 -1 >
```

which shows that the winding number between these two strings is -4 .

The braid was constructed from the data by assuming a projection along the X axis (the default). We can choose a different projection by specifying an optional angle for the projection line; for instance, to project along the Y axis we invoke

```
>> b = braid(XY,pi/2);    % project onto Y axis
>> b.length

ans = 673
>> b.compact

ans = < -3 -3 -3 -3 -3 -3 -3 1 -3 >
```

In general, a change of projection line only changes the braid by conjugation [Boylan, 1994, Thiffeault, 2010]. We can test for conjugacy:

```
>> bX = compact(braid(XY,0)); bY = compact(braid(XY,pi/2));
>> conjtest(bX,bY)    % test for conjugacy of braids

ans = 0
```

The braids are not conjugate. This is because our trajectories do not form a ‘true’ braid: the final points do not correspond exactly with the initial points, as a set. If we truly want a rotationally-conjugate braid out of our data, we need to enforce a closure method:

```
>> XY = closure(XY);    % close braid and avoid new crossings
>> bX = compact(braid(XY,0)), bY = compact(braid(XY,pi/2))

bX = < -1 -2 -1 -1 -1 -1 -1 -1 -1 -1 3 3 2 1 >

bY = < -3 -3 -3 -3 -3 -3 -3 1 -3 1 >
```

This default closure simply draws line segments from the final points to the initial points in such a way that no new crossings are created in the X projection. Hence, the X -projected braid \mathbf{bX} is unchanged by the closure, but here the Y -projected braid \mathbf{bY} is longer by one generator (\mathbf{bY} is plotted in Figure 1(d)). This is enough to make the braids conjugate:

```
>> [~,c] = conjtest(bX,bY)    % ~ means discard first return arg

c = < 3 2 >
```

where the optional second argument c is the conjugating braid, as we can verify:




Figure 2: (a) A simple close loop in a disk with $n = 5$ punctures. (b) Definition of intersection numbers μ_i and ν_i . [From Thiffeault [2010].]

```
>> bX == c*bY*c^-1
ans = 1
```

There are other ways to enforce closure of a braid (see `help closure`), in particular `closure(XY, 'mindist')`, which minimizes the total distance between the initial and final points.

Note that `conjtest` uses the library *CBraid* [Cha, 2011] to first convert the braids to Garside canonical form [Birman and Brendle, 2005], then to determine conjugacy. This is very inefficient, so is impractical for large braids.

2.3 The loop class

A simple closed loop on a disk with 5 punctures is shown in Figure 2(a). We consider equivalence classes of such loops under homotopies relative to the punctures. In particular, the loops are *essential*, meaning that they are not null-homotopic or homotopic to the boundary or a puncture. The *intersection numbers* are also shown in Figure 2(a): these count the minimum number of intersections of an equivalence class of loops with the fixed vertical lines shown. For n punctures, we define the intersection numbers μ_i and ν_i in Figure 2(b).

Any given loop will lead to a unique set of intersection numbers, but a general collection of intersection numbers do not typically correspond to a loop. It is therefore




Figure 3: (a) The loop $((-1 \ 1 \ -2 \ 0 \ -1 \ 0))$. (b) The braid generator σ_1^{-1} applied to the loop in (a).

more convenient to define

$$a_i = \frac{1}{2}(\mu_{2i} - \mu_{2i-1}), \quad b_i = \frac{1}{2}(\nu_i - \nu_{i+1}), \quad i = 1, \dots, n-2. \quad (1)$$

We then combine these in a vector of length $(2n-4)$,

$$\mathbf{u} = (a_1, \dots, a_{n-2}, b_1, \dots, b_{n-2}), \quad (2)$$

which gives the *loop coordinates* (or *Dynnikov coordinates*) for the loop. (Some authors such as Dehornoy [2008] give the coordinates as $(a_1, b_1, \dots, a_{n-2}, b_{n-2})$.) There is now a bijection between \mathbb{Z}^{2n-4} and essential simple closed loops [Dynnikov, 2002, Moussafir, 2006, Hall and Yurttas, 2009, Thiffeault, 2010]. Actually, *multiloops*: loop coordinates can describe unions of disjoint loops.

Let's create the loop in Figure 2(a) as a `loop` object:

```
>> l = loop([-1 1 -2 0 -1 0])
l = (( -1 1 -2 0 -1 0 ))
```

Figure 3(a) shows the output of the `plot(l)` command. Now we can act on this loop with braids. For example, we define the braid `b` to be σ_1^{-1} with 5 strings, corresponding to the 5 punctures, and then act on the loop `l` by using the multiplication operator:

```
>> b = braid([-1],5); % one generator with 5 strings
>> b*l % act on a loop with a braid
ans = (( -1 1 -2 1 -1 0 ))
```

Figure 3(b) shows `plot(b*1)`. The first and second punctures were interchanged counterclockwise (the action of σ_1^{-1}), dragging the loop along.

The minimum length of an equivalence class of loops is determined by assuming the punctures are one unit of length apart and have zero size. After pulling tight the loop on the punctures, it is then made up of unit-length segments. The minimum length is thus an integer. For the loop in Figure 3(a),

```
>> minlength(1)

ans = 12
```

The `entropy` method computes the topological entropy of a braid by repeatedly acting on a loop, and monitoring the growth rate of the loop.

```
>> b = braid([1 2 3 -4]);
% apply braid 100 times to l, then compute growth of length
>> log(minlength(b^100*1)/minlength(1)) / 100

ans = 0.7637
>> entropy(b)

ans = 0.7672
```

The entropy value returned by `entropy(b)` is more precise, since that method monitors convergence and adjusts the number of iterations accordingly.

2.4 Loop coordinates for a braid

The loop coordinates allow us to define a unique normal form for braids. Consider the multiloop depicted in Figure 4(a), which is the output of `plot(loop(5))`. Notice that `loop(5)` defaulted to a loop on a disk with 6 punctures. The reason is that this default multiloop is used to define loop coordinates for braids. The extra puncture is regarded as the outer boundary of the disk, and the loops form a generating set for the fundamental group of the disk with 5 punctures. The canonical loop coordinates for braids exploit the fact that two braids are equal if and only if they act the same way on the fundamental group of the disk. Hence, if we take a braid and act on `loop(5)`,

```
>> b = braid([1 2 3 -4]);
>> b*loop(5)

ans = (( 0  0  3 -1 -1 -1 -4  3 ))
```




Figure 4: (a) The multiloop created by `loop(5)`. (b) The multiloop `b*loop(5)`, where `b` is the braid $\sigma_1\sigma_2\sigma_3\sigma_4^{-1}$.

then the set of numbers `((0 0 3 -1 -1 -1 -4 3))` can be thought of as *uniquely* characterizing the braid. It is this property that is used to rapidly determine equality of braids [Dehornoy, 2008]. (The loop `b*loop(5)` is plotted in Figure 4(b).) The same loop coordinates for the braid can be obtained without creating an intermediate loop with

```
>> loopcoords(b)
ans = (( 0 0 3 -1 -1 -1 -4 3 ))
```

Acknowledgments

The development of `braidlab` was supported by the US National Science Foundation, under grants DMS-0806821 and CMMI-1233935. The author thanks Michael Allshouse for extensive testing, comments, and for contributing some of the code. James Puckett and Karen Daniels provided the test data from their granular medium experiments [Puckett et al., 2012]. `braidlab` uses Toby Hall's *Train* [Hall, 2012]; Jae Choon Cha's *CBraid* [Cha, 2011]; Juan González-Meneses's *Braiding* [González-Meneses, 2011]; and Markus Buerhen's *assignmentoptimal* [Buerhen, 2011].

References

- P. D. Bangert, M. A. Berger, and R. Prandi. In search of minimal random braid configurations. *J. Phys. A*, 35(1):43–59, January 2002. doi: 10.1088/0305-4470/35/1/304.
- M. Bestvina and M. Handel. Train-tracks for surface homeomorphisms. *Topology*, 34(1):109–140, 1995.
- J. S. Birman. *Braids, Links, and Mapping Class Groups*. Number 82 in Annals of Mathematics Studies. Princeton University Press, Princeton, NJ, 1975.
- J. S. Birman and T. E. Brendle. Braids: A survey. In W. Menasco and M. Thistlethwaite, editors, *Handbook of Knot Theory*, pages 19–104. Elsevier, Amsterdam, 2005. Available at <http://arXiv.org/abs/math.GT/0409205>.
- P. L. Boyland. Topological methods in surface dynamics. *Topology Appl.*, 58:223–298, 1994.
- Markus Buerhen. Functions for the rectangular assignment problem, 2011. <http://www.mathworks.com/matlabcentral/fileexchange/6543>.
- W. Burau. Über Zopfgruppen und gleichsinnig verdrilte Verkettungen. *Abh. Math. Semin. Hamburg Univ.*, 11:171–178, 1936.
- A. J. Casson and S. A. Bleiler. *Automorphisms of surfaces after Nielsen and Thurston*, volume 9 of *London Mathematical Society Student Texts*. Cambridge University Press, Cambridge, 1988. ISBN 0-521-34203-1.
- Jae Choon Cha. *CBraid: A C++ library for computations in braid groups*, 2011. <http://code.google.com/p/cbraid>.
- P. Dehornoy. Efficient solutions to the braid isotopy problem. *Discr. Applied Math.*, 156:3091–3112, 2008. doi: 10.1016/j.dam.2007.12.009.
- I. A. Dynnikov. On a Yang–Baxter map and the Dehornoy ordering. *Russian Math. Surveys*, 57(3):592–594, 2002.
- A. Fathi, F. Laudenbach, and V. Poénaru. Travaux de Thurston sur les surfaces. *Astérisque*, 66-67:1–284, 1979.

- Juan González-Meneses. *Braiding: A computer program for handling braids*, 2011. The version used is distributed with *CBraid*: <http://code.google.com/p/cbraid>.
- T. Hall. *Train: A C++ program for computing train tracks of surface homeomorphisms*, 2012. http://www.liv.ac.uk/~tobyhall/T_Hall.html.
- T. Hall and S. Ö. Yurttaş. On the topological entropy of families of braids. *Topology Appl.*, 156(8):1554–1564, April 2009. doi: 10.1016/j.topol.2009.01.005.
- J.-O. Moussaïf. On computing the entropy of braids. *Func. Anal. and Other Math.*, 1(1):37–46, 2006. doi: 10.1007/s11853-007-0004-x.
- M. S. Paterson and A. A. Razborov. The set of minimal braids is co-NP complete. *J. Algorithm*, 12:393–408, 1991.
- J. G. Puckett, F. Lechenault, K. E. Daniels, and J.-L. Thiffeault. Trajectory entanglement in dense granular materials. *Journal of Statistical Mechanics: Theory and Experiment*, 2012(6):P06008, June 2012. doi: 10.1088/1742-5468/2012/06/P06008. URL <http://iopscience.iop.org/1742-5468/2012/06/P06008>.
- J.-L. Thiffeault. Measuring topological chaos. *Phys. Rev. Lett.*, 94(8):084502, March 2005.
- J.-L. Thiffeault. Braids of entangled particle trajectories. *Chaos*, 20:017516, January 2010. doi: 10.1063/1.3262494.
- W. P. Thurston. On the geometry and dynamics of diffeomorphisms of surfaces. *Bull. Am. Math. Soc.*, 19:417–431, 1988.